

Rockfall UK Ltd		JONES & CLARK LTD BURTON ON TRENT		
STYLE CODE / NAME	IMAGE	PRODUCT FEATURES	SIZE RANGE	PRICE (£)
RF125/ Alder		Lightweight and sporty styled safety trainer, made using TENCEL upper materials, recycled lining, and featuring BLOOM and SOLUM outsole technology. Alder uses some of the most sustainable materials available in the footwear world. Protection is provided by a fibreglass toecap and our ultra lightweight kevlar protective midsole. The footbed is made from partly BLOOM Algae helping to clean 20.4 grams of CO2 from the air. ESD Certified EN ISO 20345:2022 S3S FO SR + BS EN 61340-4-3:2018 ESD	UK 3-13	66.50
RF300/ Tor		World first safety boot featuring BLOOM and SOLUM outsole technology, and constructed using both recycled and plant based upper materials. Tor features some of the most sustainable materials possible in the footwear world. Comprising of a fibreglass toecap, and our Activ-Step flexible protective midsole, certified to the highest anti-penetration 'S' standard. Under foot comfort is provided using our exclusive Activ-Step anti-fatigue plant-based latex footbed. ESD Certified. EN ISO 20345:2022 S3S FO SR + BS EN 61340-4-3:2018 ESD	UK 3-13	74.50
RF311/ Banyan		World first safety trainer featuring BLOOM and SOLUM outsole technology, and constructed using both, recycled and plant based upper materials. Banyan features some of the most sustainable materials possible in the footwear world. Comprising of a fibreglass toecap, and our Activ-Step flexible protective midsole, certified to the highest anti-penetration standard. Under foot comfort is provided using our exclusive Activ-Step anti-fatigue plant-based latex footbed. ESD Certified EN ISO 20345:2022 S3S FO SR + BS EN 61340-4-3:2018 ESD	UK 3-13	74.50
RF314/ Revive		100% non-metallic and ESD certified, with protective toecap and midsole, Revive is comfortable and extremely lightweight and features sustainable materials. It's constructed using recycled leather that is Made In The United Kingdom, 100% recycled polyester fabrics and an Activ-Step® anti-fatigue footbed made from bio based Latex EN ISO 20345:2022 S1PS SC FO SR + BS EN 61340-43:2018 ESD	UK 3-13	66.50
RF116/ Apollo		The first Global Recycling Standard certified safety trainer in the world. The Apollo is not only constructed using verified recycled materials, but is made using a fibreglass toecap and specially developed Activ-Step flexible protective midsole, certified to the highest anti-penetration 'S' standard. Apollo also uses our world leading Activ-Step® Adherence™ outsole, providing incredible slip resistance whilst using 10% BLOOM Algae. Ultra lightweight at only 491g per shoe (Size 8) ESD Certified. EN ISO 20345:2022 S3S FO SR + BS EN 61340 4-3:2018 ESD	UK 3-13	57.95
RF350/ Carson		Hiker styled safety boot, featuring Activ-Tex waterproof and breathable membrane, premium black full grain leather upper, aluminium toecap, and our specially developed Activ-Step flexible protective midsole, certified to the highest anti- penetration S standard. Featuring our exclusive Activ-Step anti-fatigue plant-based latex footbed. The Carson brings together, comfort, style, sustainability, and performance. EN ISO 20345: 2022 S7S HRO FO SR	UK 6-13	82.50
RF360/ Pacer		Hiker styled safety boot, featuring Activ-Tex waterproof and breathable membrane, premium brown full grain leather upper, aluminium toecap, and our specially developed Activ- Step flexible protective midsole, certified to the highest antipenetration S standard. Featuring our exclusive Activ-Step anti-fatigue plant-based latex footbed. The Pacer brings together, comfort, style, sustainability, and performance. EN ISO 20345: 2022 S7S HRO FO SR	UK 6-13	82.50

STYLE CODE / NAME	IMAGE	PRODUCT FEATURES	SIZE RANGE	PRICE (£)
RF370/ Sable		Hiker styled safety boot, featuring Activ-Tex waterproof and breathable membrane, premium honey nubuck upper, aluminium toe cap, and our specially developed Activ-Step flexible protective midsole, certified to the highest anti-penetration S standard. Featuring our exclusive Activ-Step anti-fatigue plant-based latex footbed. The Sable brings together, comfort, style, sustainability, and performance. EN ISO 20345: 2022 S7S HRO FO SR	UK 6-13	82.50
RF380/ Dallas		Hiker styled safety boot, featuring Activ-Tex waterproof and breathable membrane, premium stone nubuck upper, aluminium toe cap, and our specially developed Activ-Step flexible protective midsole, certified to the highest anti-penetration S standard. Featuring our exclusive Activ-Step anti-fatigue plant-based latex footbed. The Dallas brings together, comfort, style, sustainability, and performance. EN ISO 20345: 2022 S7S HRO FO SR	UK 6-13	82.50
RF390/ Kyanite		Hiker styled safety boot, featuring Activ-Tex waterproof and breathable membrane, premium navy nubuck upper, aluminium toe cap, and our specially developed Activ-Step flexible protective midsole, certified to the highest anti-penetration S standard. Featuring our exclusive Activ-Step anti-fatigue plant-based latex footbed. The Kyanite brings together, comfort, style, sustainability, and performance. EN ISO 20345: 2022 S7S HRO FO SR	UK 6-13	82.50
RF720/ Hurricane		Made using the world famous BOA lacing system, Hurricane is a highly robust, women's high leg safety boot. Developed in partnership with Bold as Brass, to be sure of perfect fit and comfort. Featuring Activ-Tex waterproof and breathable membrane, premium stone nubuck upper, fibreglass toe cap, and our specially developed Activ-Step flexible protective midsole, certified to the highest anti-penetration S standard. Featuring our exclusive Activ-Step anti-fatigue plant-based latex footbed. EN ISO 20345:2022 S7S HRO FO SR + BS EN 61340-4-3:2018 ESD	UK 2-9	111.50
RF725/ Carbon		Premium high leg safety boot, featuring YKK No. 8 side zip. Carbon is a highly robust, women's high leg safety boot. Developed in partnership with Bold as Brass, to be sure of perfect fit and comfort. Featuring Activ-Tex waterproof and breathable membrane, premium black full grain leather upper, fibreglass toe cap, and our specially developed Activ-Step flexible protective midsole, certified to the highest anti-penetration S standard. Featuring our exclusive Activ-Step anti-fatigue plant-based latex footbed. EN ISO 20345:2022 S7S HRO FO SR + BS EN 61340-4-3:2018 ESD	UK 2-9	94.95
RF505/ Talos		Exclusively developed on a last and outsole for UK size 17 and 18 feet. Premium non-metallic safety boot, constructed using the finest black full grain cow leather, featuring Activ-Tex waterproof and breathable membrane, fibreglass toe cap, and our specially developed Activ-Step flexible protective midsole, certified to the highest anti-penetration S standard. The Talos features the FORCE10 scuff cap providing the ultimate in abrasion resistance, crafted using a host of sustainable materials. ESD certified. EN ISO 20345:2022, S7S HRO SC FO SR + BS EN 61340 43:2018 ESD	UK 17-18	123.95

STYLE CODE / NAME	IMAGE	PRODUCT FEATURES	SIZE RANGE	PRICE (£)
RF256/ Furrow		100% Non-Metallic with protective toecap and midsole, Furrow is a high specification chelsea styled boot. It features a recycled lining and recycled footbed, ensuring responsible sourcing is at the forefront of this product. EN ISO 20345:2011 S3 SRC	UK 6-13	57.95
RF206/ Farrier		Steel toecap and composite midsole protection, Farrier is highly robust and developed with specialist durability materials including goodyear welt nitrile rubber outsole, high quality waxy full grain leather, highly durable leather pull loop and leather covered side elastic EN ISO 20345:2011 S3 HRO SRC	UK 6-13	74.50
RF246/ Plough		Plough is highly robust and developed with specialist durability materials including goodyear welt nitrile rubber outsole, high quality waxy full grain leather, highly durable leather pull loop and leather covered side elastic	UK 6-13	74.50
		Non-Safety		
RF207/ Bale		Steel toecap and composite midsole protection, Bale is highly robust and developed with specialist durability materials including goodyear welt nitrile rubber outsole, high quality waxy full grain leather, highly durable leather pull loop and leather covered side elastic EN ISO 20345:2011 S3 HRO SRC	UK 6-13	74.50
RF3300/ Iris		100% non-metallic, with protective toecap, midsole and internal metatarsal guard, Iris has been crafted specifically around a womens foot shape to give a genuine womens fit, it is developed with specialist durability materials including solid nitrile rubber outsole, an Activ-Tex® waterproof membrane and IMPACT SHIELD™ metatarsal protection. Currently the only Internal Metatarsal Boot on the market, designed exclusively for women. EN ISO 20345:2022 S7S HI FO HRO M SR	UK 3-8	82.50
RF270/ Excavate		100% Non-Metallic with protective toecap and midsole, Excavate is a high specification PU upper and Rubber Outsole Wellington. It features an Antibacterial inner lining and a PU comfort footbed with additional insulation properties. EN ISO 20345:2022 S5S CI FO HRO SR	UK 3-14	57.95
RF112/ Michigan		100% non-metallic, with protective toecap and midsole, Michigan is comfortable and lightweight, it's developed with innovative comfort materials including water repellent navy nubuck, a shock absorbing dual density EVA nitrile rubber outsole and Activ-Step® PU anti-fatigue comfort footbed. EN ISO 20345:2022+A1:2024 S3S FO SR	UK 6-12	52.95
RF113/ Sandstone		100% non-metallic, with protective toecap and midsole, Sandstone is comfortable and lightweight, it's developed with innovative comfort materials including water repellent honey nubuck, a shock absorbing dual density EVA nitrile rubber outsole and Activ-Step® PU anti-fatigue comfort footbed. EN ISO 20345:2022+A1:2024 S3S FO SR	UK 6-12	52.95
RF108/ Fly		100% non-metallic, with protective toecap and midsole, Fly is comfortable and lightweight, it's developed with innovative comfort materials including nylon and 3D printed upper, a shock absorbing dual density EVA nitrile rubber outsole and Activ-Step® PU anti-fatigue comfort footbed. EN ISO 20345:2022 S3S FO SR	UK 3-13	52.95

STYLE CODE / NAME	IMAGE	PRODUCT FEATURES	SIZE RANGE	PRICE (£)
RF115/ Bantam		100% non-metallic, with protective toecap and midsole, Bantam is comfortable and lightweight, it's developed with innovative comfort materials including nylon and 3D printed upper, a shock absorbing dual density EVA nitrile rubber outsole and Activ-Step® PU anti-fatigue comfort footbed. EN ISO 20345:2022 S3S FO SR	UK 3-13	52.95
RF170/ Granite		Protective toecap and midsole, Granite is highly robust and developed with specialist durability materials including FORCE10® components, IMPACT SHIELD™ and limited stitching. EN ISO 20345:2011 S3 HI CI HRO SRC	UK 5-15 (INC 6.5 and 10.5)	51.95
RF10/ Ebonite		Protective toecap and midsole, Ebonite is highly robust and developed with specialist durability materials including FORCE10® components, IMPACT SHIELD™ and TPU ankle guard. EN ISO 20345:2011 S3 HI CI HRO SRC	UK 5-14	56.95
RF15/ Shale		Protective toecap and midsole, Shale is highly robust and developed with specialist durability materials including FORCE10® components, IMPACT SHIELD™ and TPU ankle guard. It features a no. 8 YKK side zip for convenience. EN ISO 20345:2011 S3 HI CI HRO SRC	UK 3-15	65.50
RF440A/ Flint Black		100% non-metallic, with protective toecap and midsole, Flint is comfortable and lightweight, it's developed with specialist comfort materials including a shock absorbing dual density EVA nitrile rubber outsole and Activ-Step® PU anti-fatigue comfort footbed. EN ISO 20345:2022 S3S HRO FO SR	UK 6-13	61.95
RF440C/ Flint Honey		100% non-metallic, with protective toecap and midsole, Flint is comfortable and lightweight, it's developed with specialist comfort materials including a shock absorbing dual density EVA nitrile rubber outsole and Activ-Step® PU anti-fatigue comfort footbed. EN ISO 20345:2022 S3S HRO FO SR	UK 6-12	61.95
RF205/ Herd		100% non-metallic, with protective toecap and midsole, Herd is developed with specialist durability materials including FORCE10® components, an Activ-Tex® waterproof membrane and Activ-Step® PU anti-fatigue comfort footbed. EN ISO 20345:2011 S3 CI HRO WR SRC	UK 6-13 (INC 6.5 and 10.5)	67.95
RF910/ Surge		100% non-metallic, with protective toecap and midsole, Surge is developed with specialist durability materials that are certified to withstand electrical risks of 18kV in accordance with the ASTM F2412-18 test method, including FORCE10® components, an Activ-Tex® waterproof membrane and ActivStep® PU anti-fatigue comfort footbed. EN ISO 20345:2011 SB P E WRU FO CI HRO WR SRC + ASTM F 2413-18 M/I/C EH PR	UK 3-16 (INC 6.5 and 10.5)	67.95
RF250/ Rhodium		100% non-metallic, and ESD rated, with protective toecap and midsole, Rhodium is a chemical splash resistant boot developed with specialist durability materials that are certified to prevent corrosion, including an Activ-Tex waterproof membrane, Eco-Lorica microfibre upper and shock absorbing BASF PU outsole. EN ISO 20345:2011 S3 WR SRC + EN 13832-2:2018 / Type U / K + L / 200J-A-E-WV-PY + BS EN 61340-4-3:2018	UK 3-13	62.95

STYLE CODE / NAME	IMAGE	PRODUCT FEATURES	SIZE RANGE	PRICE (£)
RF008/ FaraDRI		100% non-metallic and ESD rated, with protective toecap and midsole, FaraDRI is comfortable and lightweight, it's developed with specialist comfort materials including a Sympatex climate upper, shock absorbing EPR outsole and Activ-Step® climate breathable footbed. EN ISO 20345:2022 S7S FO SR + BS EN 61340-4-3:2018 ESD + ASTM F2413-18 M/I/C PR SD35	UK 3-16 (INC 6.5 and 10.5)	68.50
RF120/ TeslaDRI		100% non-metallic and ESD rated, with protective toecap and midsole, TeslaDRI is comfortable and lightweight, it's developed with specialist comfort materials including an Activtex climate upper, shock absorbing EPR outsole and ActivStep climate breathable footbed. EN ISO 20345:2022 S7S FO SR + BS EN 61340-4-3:2018 ESD + ASTM F2413-18 M/I/C PR SD35	UK 3-16 (INC 6.5 and 10.5)	68.50
RF110/ Luna		100% non-metallic and ESD rated, with protective toecap and midsole, AirTech is comfortable and lightweight, it's developed with specialist comfort materials including a 3D printed mesh upper, BOA Fit System, shock absorbing dual density EVA nitrile rubber outsole and Activ-Step climate breathable footbed. EN ISO 20345:2011 S1P SRC + EN 61340-4-3:2018 ESD	UK 4-12	80.50
RF222/ Jet		100% non-metallic, with protective toecap and midsole, Jet is comfortable and lightweight, it's developed with specialist comfort materials including FORCE10® components, an Activ -Tex® waterproof membrane and an Activ-Step® PU antifatigue comfort footbed. It features a no. 8 YKK side zip for convenience. EN ISO 20345:2022 S7S HI CI HRO LG FO SR	UK 3-15	71.95
RF460/ Slate		100% non-metallic, with protective toecap and midsole, Slate is wide fitting and developed with specialist durability materials including FORCE10® components, an Activ-Tex® waterproof membrane and our unique dual footbed system. EN ISO 20345:2022 S7S HI CI HRO SC LG FO SR	UK 3-15	72.95
RF140/ Volta		Protective toecap and midsole, Volta is an electrical hazard trainer developed with specialist comfort materials that are certified to withstand electrical risks of 18kV in accordance with the ASTM F2412-18 test method, including BOA Fit System, shock absorbing dual density EVA nitrile rubber outsole and Activ-Step® climate breathable footbed. EN ISO 20345:2011 SB P E WRU FO SRC + ASTM F 241318 M/I/C PR EH	UK 6-12 (INC 6.5 and 10.5)	82.50
RF160/ Ohm		Protective toecap and midsole, Ohm is an electrical hazard boot developed with specialist comfort materials that are certified to withstand electrical risks of 18kV in accordance with the ASTM F2412-18 test method, including BOA Fit System, shock absorbing dual density EVA nitrile rubber outsole and Activ-Step® climate breathable footbed. EN ISO 20345:2011 SB P E WRU FO SRC + ASTM F 241318 M/I/C PR EH	UK 6-12 (INC 6.5 and 10.5)	82.50
RF5000/ Spark		100% non-metallic, with protective toecap and midsole, Spark is a welding boot developed with specialist durability materials that are certified to withstand molten sparks generated whilst welding, including FORCE10 components, FR leather and Coats FR stitching and Activ-Step® climate breathable footbed. EN ISO 20349-2:2017+A1:2020 S3 HI CI HRO SRC Wg	UK 3-14	67.95
RF7000/ Vulcan		Protective toecap and midsole, Vulcan is a foundry boot developed with specialist durability materials that are certified to withstand molten splashes as high as 1400C, including FORCE10 components, FR leather and Coats FR stitching and Activ-Step® climate breathable footbed. EN ISO 20349-1:2017+A1:2020 S3 HI CI HRO SRC Fe	UK 5-14	79.50



STYLE CODE / NAME	IMAGE	PRODUCT FEATURES	SIZE RANGE	PRICE (£)
RF8000/ Helios		100% non-metallic, with protective toecap, midsole and internal metatarsal guard, Helios is a foundry boot developed with specialist durability materials that are certified to withstand molten splashes as high as 1400C and to withstand electrical risks of 18kV in accordance with the ASTM F241218 test method, including FR leather and R-TEN FR Stitching, IMPACT SHIELD and Activ-Step® climate breathable footbed. EN ISO 20349-1:2017 + A1: 2020 SB P E WRU FO HI CI HRO M SRC Fe + ASTM F 2413-18 M//C EH PR Mt	UK 6-12	173.50
TC3000/ Rhyolite		100% non-metallic, with protective toecap, midsole and internal metatarsal guard, Rhyolite is highly robust and developed with specialist durability materials including FORCE10® components, an Activ-Tex® waterproof membrane, IMPACT SHIELD™ and R-TEN™ thread. EN ISO 20345:2022 S7S HI CI M SC HRO FO SR	UK 3-15	72.95
RF540/ Monzonite		100% non-metallic, with protective toecap, midsole and internal metatarsal guard, Monzonite is highly robust and developed with specialist durability materials including FORCE10® components, Moisture-tech by Sympatex® waterproof membrane, IMPACT SHIELD™ and R-TEN™ thread. It features a No. 8 YKK side zip for convenience. EN ISO 20345:2022 S7S HI CI M HRO SC FO SR	UK 5-14	117.50
TC1070/ Denver		100% non-metallic, with protective toecap and midsole, Denver is highly robust and developed with specialist durability materials including FORCE10® components, an Activ-Tex® waterproof membrane, IMPACT SHIELD™ and RTEN™ thread. EN ISO 20345:2011 S3 HI HRO WR SRC + ASTM F2413-18 M//C PR	UK 6-13	72.95
RF4500/ Titanium		100% non-metallic, with protective toecap and midsole, Titanium is highly robust and developed with specialist durability materials including FORCE10® components, an Activ-Tex® waterproof membrane, IMPACT SHIELD™ and RTEN™ thread. It features a no. 8 YKK side zip for convenience. EN ISO 20345:2022 S7S HI CI HRO FO SC SR + ASTM F2413-18 M//C/PR	UK 3-14	89.50
RF70/ Texas		100% non-metallic, with protective toecap and midsole, Texas is highly robust and developed with specialist durability materials including FORCE10® components, an Activ-Tex® waterproof membrane, IMPACT SHIELD™ and R-TEN™ thread. It features pull on loops for convenience. EN ISO 20345:2022 S7S HI CI HRO FO SC SR + ASTM F2413-18 M//C/PR	UK 3-14 (INC 6.5 and 10.5)	75.50
RF040/ Manitoba		100% non-metallic, with protective toecap and midsole, Manitoba is a cold temperature boot developed with specialist materials that are certified for use in temperatures as low as 30C, including 3M Thinsulate B600 Ultra, Fursulate fur lining and a shock absorbing solid nitrile rubber outsole. It features a no. 8 YKK side zip for convenience. EN ISO 20345:2011 S3 HI CI HRO SRC + ASTM F 2413-18 M//C PR	UK 3-13	90.95
RF001/ Alaska		Protective toecap and midsole, Alaska is a cold temperature boot developed with specialist materials that are certified for us in temperatures as low as -30C, including 3M Thinsulate B600 Ultra, Fursulate fur lining and a shock absorbing solid nitrile rubber outsole. EN ISO 20345:2011 S3 CI HRO SRC + ASTM F 2413-18 M//C PR	UK 3-14	90.95

STYLE CODE / NAME	IMAGE	PRODUCT FEATURES	SIZE RANGE	PRICE (£)
RF290/ Silt		100% non-metallic, with protective toecap and midsole, Silt is highly robust and developed with specialist durability materials including FORCE10® components, an Activ-Step® PU footbed and 5mm neoprene upper. EN ISO 20345:2022+A1:2024 S5S CI HRO SC AN FO SR	UK 3-14 (INC 6.5 and 10.5)	108.50
RF002/ Zinc		100% Non-Metallic and conductive, with protective toecap and midsole, Zinc is a conductive trainer developed with specialist comfort materials that are certified to have close to zero electrical resistance, making them conductive in accordance with EN ISO 20344:2011 and ASTM F2412-18 test methods, shock absorbing conductive EVA rubber outsole and Activ-Step® conductive comfort footbed. EN ISO 20345:2011 SB P E WRU FO HRO SRC C + ASTM F 2413-18 M//C Cd PR	UK 3-16 (INC 6.5 and 10.5)	108.50
RF610/ Honestone		100% non-metallic, with protective toecap and midsole, Honestone is robust and developed with specialist durability materials including FORCE10® components, a Moisture-tech by Sympatex® waterproof membrane, Impact Shield™ and Boa® fit system. EN ISO 20345:2022 S7S HI SC HRO FO SR + ASTM F241318 M//C SD100 PR	UK 3-16	115.50
RF611/ Dolomite		100% non-metallic, with protective toecap and midsole, Dolomite is robust and developed with specialist durability materials including FORCE10® components, a Moisture-tech by Sympatex® waterproof membrane, Impact Shield™ and Boa® fit system. EN ISO 20345:2022 S7S HI SC HRO FO SR + ASTM F241318 M//C SD100 PR	UK 3-16	115.50
RF709/ Lava		100% non-metallic, with protective toecap, midsole and internal metatarsal guard, Lava is highly robust and developed with specialist durability materials including FORCE10® components, a Moisture-tech by Sympatex® waterproof membrane, Impact Shield™ and Boa® fit system. EN ISO 20345:2022 S7S HI CI M SC HRO FO SR	UK 6-12	123.95
RF710/ Magma		100% non-metallic, with protective toecap, midsole and internal metatarsal guard, Magma is highly robust and developed with specialist durability materials including FORCE10® components, a Moisture-tech by Sympatex® waterproof membrane, Impact Shield™ and Boa® fit system. EN ISO 20345:2022 S7S HI CI M SC HRO FO SR + ASTM 2413-18 M//C PR Mt SD100	UK 5-15	140.50
RF900/ Power		100% non-metallic, with protective toecap and midsole, Power is an electrical hazard jointers boot developed with specialist durability materials that are certified to withstand electrical risks of 18kV in accordance with the ASTM F2412-18 test method, including FORCE10 components, Moisturetech by Sympatex waterproof membrane, IMPACT SHIELD, R -TEN thread and Activ-Step® climate breathable footbed. EN ISO 20345:2011 SB P CI E FO WRU HRO WR SRC + ASTM F 2413-18 M//C EH PR + AS 2210.3:2019 SB P CI E FO WRU HRO WR SRC	UK 5-13 (INC 6.5 and 10.5)	123.95

STYLE CODE / NAME	IMAGE	PRODUCT FEATURES	SIZE RANGE	PRICE (£)
RF800/ PowerMax		100% non-metallic, with protective toecap and midsole, PowerMax is an electrical hazard linesworker boot developed with specialist durability materials that are certified to withstand electrical risks of 18kV in accordance with the ASTM F2412-18 test method, including FORCE10 components, Helcor abrasion resistant leather, Moisture-tech by Sympatex waterproof membrane, IMPACT SHIELD, R-TEN thread and Activ-Step® climate breathable footbed. The sole and upper are also compatible with most common climbing irons. EN ISO 20345:2011 SB P CI E FO WRU HRO WR SRC + ASTM F 2413-18 M//C EH PR + AS 2210.3:2019 SB P CI E FO WRU HRO WR SRC	UK 5-14 (INC 6.5 and 10.5)	130.50
RF810/ Arc		100% non-metallic, with protective toecap and midsole, Arc is an electrical hazard linesworker boot developed with specialist durability materials that are certified to withstand electrical risks of 18kV in accordance with the ASTM F2412-18 test method. Arc has also been independently put through IEC 61482-1-1:2019 test method. Including fire resistant laces, FORCE10 components, Helcor abrasion resistant leather, Moisture-tech by Sympatex waterproof membrane, IMPACT SHIELD, R-TEN thread and Activ-Step® climate breathable footbed. The sole and upper are also compatible with most common climbing irons. EN ISO 20345:2011 SB P CI E FO WRU HRO WR SRC + ASTM F 2413-18 M//C EH PR + AS 2210.3:2019 SB P CI E FO WRU HRO WR SRC	UK 5-13 (INC 6.5 and 10.5)	140.50
RF328/ Chatsworth		Protective toecap and midsole, Chatsworth is a class 3 electrical hazard chainsaw boot developed with specialist durability materials that are certified to withstand chain speeds of 63MPH and electrical risks of 18kV in accordance with the ASTM F2412-18 test method, including FORCE10 components, Helcor abrasion resistant leather, Moisture-tech by Sympatex waterproof membrane, IMPACT SHIELD, R-TEN thread and Activ-Step® climate breathable footbed. The sole and upper are also compatible with most common climbing irons. EN ISO 20345:2022 SB PS E WPA CI HRO WR FO SR + ASTM F 2413-18 M//C EH PR + BS EN 17249:2013 + AS 2210.3:2009 SB P CI E FO HRO WRU WR SRC	UK 6-13 (INC 6.5 and 10.5)	140.50
PM4008/ Baltimore		100% non-metallic, with protective toecap and midsole, Baltimore is lightweight and developed with premium materials including an Activ-Tex® waterproof membrane and Activ-Step® shock absorbing dual density PU outsole. EN ISO 20345:2011 S3 WR SRC + ASTM F2413-18 M//C PR	UK 3-15	46.50
PM5008/ Delaware		100% non-metallic, with protective toecap and midsole, Delaware is lightweight and developed with premium materials including an Activ-Tex® waterproof membrane and Activ-Step® shock absorbing dual density PU outsole. It features a no. 8 YKK side zip for convenience. EN ISO 20345:2011 S3 WR SRC	UK 3-15	58.95
TC35/ Orlando		Protective toecap and midsole, Orlando is lightweight and developed with premium materials including a shock absorbing nitrile rubber outsole and Activ-Step® PU antifatigue comfort footbed. EN ISO 20345:2022+A1:2024 S3S FO HRO SR	UK 4-13	47.50

STYLE CODE / NAME	IMAGE	PRODUCT FEATURES	SIZE RANGE	PRICE (£)
PM36/ Jupiter		Protective toecap and midsole, Jupiter is lightweight and developed with premium materials including a shock absorbing nitrile rubber outsole and Activ-Step® PU antifatigue comfort footbed. EN ISO 20345:2022+A1:2024 S3S FO HRO SR	UK 6-13	47.50
PM4010/ Boston		100% non-metallic, with protective toecap and midsole, Boston is comfortable and lightweight, it's developed with innovative comfort materials including TPU upper, a shock absorbing dual density EVA nitrile rubber outsole and ActivStep® PU anti-fatigue comfort footbed. EN ISO 20345:2022 S1PS FO SR	UK 6-12 (INC 6.5 and 10.5)	46.50
PM4050/ Atlanta		100% non-metallic, with protective toecap and midsole, Atlanta is comfortable and lightweight, it's developed with innovative comfort materials including water repellent single knit upper, a shock absorbing dual density EVA nitrile rubber outsole and Activ-Step® PU anti-fatigue comfort footbed. EN ISO 20345:2022 S3S FO SR	UK 3-13	46.50
PM4003/ Georgia		100% non-metallic, with protective toecap and midsole, Georgia is lightweight and developed with premium materials including an Activ-Tex® waterproof membrane and ActivStep® shock absorbing dual density PU outsole. EN ISO 20345:2011 S3 WR SRC	UK 3-16	46.50
TC500/ Brooklyn		ESD rated, with protective toecap and midsole, Brooklyn is lightweight and developed with premium materials including a shock absorbing dual density PU outsole. EN ISO 20345:2022 S3S FO SR + BS EN 61340-4-3:2018 ESD	UK 3-13	37.95
TC310/ Oregon		Protective toecap and midsole, Oregon is lightweight and developed with premium materials including an Activ-Step® shock absorbing dual density PU outsole. EN ISO 20345:2011 S1P SRC	UK 6-16	36.50
PM4020/ Hartford		100% non-metallic, with protective toecap and midsole, Hartford is lightweight and developed with premium materials including a shock absorbing dual density PU outsole. EN ISO 20345:2022 S3S FO SR	UK 3-15	36.50
PM4040/ Bridgeport		100% non-metallic, with protective toecap and midsole, Bridgeport is lightweight and developed with premium materials including a shock absorbing dual density PU outsole. EN ISO 20345:2022 S3S FO SR	UK 3-15	36.50
PM600/ Trenton		100% non-metallic, with protective toecap and midsole, Trenton is lightweight and developed with premium materials including an Activ-Step® shock absorbing dual density PU outsole. EN ISO 20345:2011 S3 SRC	UK 3-13	34.95

STYLE CODE / NAME	IMAGE	PRODUCT FEATURES	SIZE RANGE	PRICE (£)
PM4004/ Austin		100% non-metallic, with protective toecap and midsole, Austin is lightweight and developed with premium materials including an Activ-Step® shock absorbing dual density PU outsole and Activ-Step® PU anti-fatigue comfort footbed. EN ISO 20345:2011 S3S FO SR	UK 3-16	34.95
PM104/ Chicago		Protective toecap and midsole, Chicago is lightweight and developed with premium materials including an Activ-Step® shock absorbing dual density PU outsole. EN ISO 20345:2011 S3 SRC	UK 3-16	35.50
PM100/ Utah		Protective toecap and midsole, Utah is lightweight and ideal for price sensitive contracts it features a shock absorbing dual density PVC outsole. EN ISO 20345:2022 S3 FO SR	UK 2-14 (INC 6.5 and 10.5)	16.50
PM102/ Omaha		Protective toecap and midsole, Omaha is lightweight and ideal for price sensitive contracts it features a shock absorbing dual density PVC outsole. EN ISO 20345:2022 S3 FO SR	UK 2-14 (INC 6.5 and 10.5)	16.50
RF952/ Tanzanite		100% non-metallic, with protective toecap and midsole, Tanzanite is comfortable and lightweight, its developed with specialist durability materials including an Activ-TEX waterproof membrane and shock absorbing EVA nitrile rubber outsole. The Rock Fall women's range is made on a women's shoe mould making it more slender and better fitting. EN ISO 20345:2011 S3 HRO WR SRC	UK 3-8	78.50
RF951/ Ruby		100% non-metallic, with protective toecap and midsole, Ruby is comfortable and lightweight, its developed with specialist durability materials including a shock absorbing EVA nitrile rubber outsole. The Rock Fall women's range is made on a women's shoe mould making it more slender and better fitting. EN ISO 20345:2011 S3 HRO SRC	UK 3-8	74.50
RF953/ Sapphire		100% non-metallic, with protective toecap and midsole, Sapphire is sustainable to its core being made using rPET materials throughout. It's developed with comfortable and durable components including an Activ-TEX waterproof membrane and shock absorbing solid nitrile rubber outsole. The Rock Fall women's range is made on a women's shoe mould making it more slender and better fitting. EN ISO 20345:2011 S3 HRO WR SRC	UK 3-8	71.95
VX950A/ Onyx Black		100% non-metallic, with protective toecap and midsole, Onyx is comfortable and lightweight, it's developed with specialist durability materials including an Activ-TEX waterproof membrane and shock absorbing solid nitrile rubber outsole. The Rock Fall women's range is made on a women's shoe mould making it more slender and better fitting. EN ISO 20345:2011 S3 HRO WR SRC	UK 3-8	71.95
VX950C/ Onyx Honey		100% non-metallic, with protective toecap and midsole, Onyx is comfortable and lightweight, it's developed with specialist durability materials including an Activ-TEX waterproof membrane and shock absorbing solid nitrile rubber outsole. The Rock Fall women's range is made on a women's shoe mould making it more slender and better fitting. EN ISO 20345:2011 S3 HRO WR SRC	UK 3-8	71.95

STYLE CODE / NAME	IMAGE	PRODUCT FEATURES	SIZE RANGE	PRICE (£)
VX400/ Amber		Protective toecap and midsole, Amber is comfortable and lightweight, it's developed with premium materials including a shock absorbing dual density PU outsole. The Rock Fall women's range is made on a women's shoe mould making it more slender and better fitting. EN ISO 20345:2011 S3 SRC	UK 3-5	39.95
VX500/ Emerald		Protective toecap and midsole, Emerald is comfortable and lightweight, it's developed with premium materials including a shock absorbing dual density PU outsole. The Rock Fall women's range is made on a women's shoe mould making it more slender and better fitting. EN ISO 20345:2011 S3 SRC	UK 5-8	39.95

jonesandclark

INDUSTRIAL SUPPLIES AND SOURCING SPECIALISTS

LET US SOURCE IT FOR YOU!

Infinity House, Paget Street,
Burton-on-Trent,
Staffordshire DE14 3TQ

Telephone: 01283 541771
Facsimile: 01283 542466
Email: sales@jonesandclark.co.uk
Web: www.jonesandclark.co.uk